

BIBLIOGRAFÍA

HIDRÁULICA TORRENCIAL Y CORRECCIÓN DE TORRENTES

LIBROS:

AGUIRRE PE J. (1980) *Hidráulica de Sedimentos*, pp. 269, Facultad de Ingeniería, Universidad de Los Andes, Mérida, Venezuela.

ANDRICH A.; CAVALLI R.; D'AGOSTINO V.; MANTOVANI D. (2000) *Le opere in legno nella sistemazione dei torrenti montani*, pp.139, A.R.A.V., Centro di Arabba, Regione del Veneto.

ARMANINI A. (1999) *Principi di Idraulica Fluviale*, Editoriale BIOS, Cosenza.

BENNET H. H. (1939) *Soil Conservation*, Mac Graw-Hill Co., pp. 993, New York.

CHOW V.T., MAIDMENT D.R., MAYS L.W. (1988) "Applied Hydrology", 572 págs, Mc.Graw Hill Co.

DIRECCIÓN GENERAL DEL MEDIO AMBIENTE (1985) *Metodología para la estimación de la erosión hídrica*, 150 páginas, Serie Documentación del MOPU, Madrid.

EINSTEIN H.A. (1950) *The bed-load function for sediment transportation in open channel flows*, *Technical Bulletin núm. 1026*, U.S. Department of Agriculture, Soil Conservation Service. pp. 73. Washington D.C.

FERRO V. (2002) *La sistemazione dei bacini idrografici*. McGraw-Hill, New York, pp. 676.

GARCÍA NÁJERA J.M. (1943, 1962, 2ª edc.) *Principios de Hidráulica Torrencial y su aplicación a la corrección de torrentes*, 297 páginas, I.F.I.E. (Instituto Forestal de Investigaciones y Experiencias), Madrid.

GARCÍA RODRÍGUEZ, J.L. (2001). *La hidrología y los procesos erosivos*. Servicio de publicaciones de la E.T.S.I. Montes. Madrid.

GRAF W.H. (1971) *Hydraulics of sediments transport*, pp. 513, Mc. Graw-Hill Book Co., New York.

GRAF W. H. (1984) *Hydraulics of Sediment Transport*, Water Resources Publications, LLC, Colorado, USA.

HAYWARD J.A. (1980) *Hydrology and stream sediment from Torlesse Stream catchment*, Tussock Grasslands and Mountain Lands Institute, Lincoln College, Canterbury, New Zealand, Spec. Publ. num. 17.

HYDROLOGIC ENGINEERING CENTRE (2001) *HEC-HMS 2.1.3., Hydrologic Modelling System*, U.S. Army Corps of Engineering, Washington D.C.

ICONA - INTECSA (1988) *Agresividad de la lluvia en España, Valores del factor R de la U. S. L. E.*, ICONA, MAPA, pp. 39 y mapas, Madrid.

ICONA (1987-93) *Mapas de Estados Erosivos* (adaptados a las superficies de cada una de las Confederaciones Hidrográficas de España), Publicaciones del MAPA.

KNIGHTON D. (1998) *Fluvial Forms and Processes, A New Perspective*. John Wiley & Sons, New York, pp. 383.

LENZI M.A. editor (2000) *Dynamics of water and sediments in mountain basins. Special issue of Quaderni di Idronomia Montana*, núm.20, pp. 266. Editoriale Bios.

LENZI M.A.; D'AGOSTINO V.; SONDA D. (2000) *Ricostruzione morfologica e recupero ambientale dei torrenti; criteri metodologici ed esecutivi*, Editoriale BIOS, Cosenza, pp. 205.

LÓPEZ CADENAS DE LLANO F.; BLANCO CRIADO M. (1968) *Aspectos cualitativos y cuantitativos de la erosión hídrica y del transporte y depósito de materiales*, I.F.I.E., pp. 187, Madrid.

LÓPEZ CADENAS DE LLANO F. (1988) *Corrección de torrentes y estabilización de cauces*, Colección FAO, Fomento de tierras y aguas, pp. 182, Roma.

LÓPEZ CADENAS DE LLANO F., director, Varios Autores; (1994, 1998) *Restauración Hidrológico-Forestal de cuencas y Control de la erosión*, pp. 929, Ministerio de Medio Ambiente, Tragsa y Tragsatec, Ediciones Mundi Prensa, Madrid.

MEUNIER M. (1991) *Éléments d'hydraulique torrentielle*, Etudes de Montagne nº 1, C.E.M.A.G.R.E.F. (Centre National du Machinisme Agricole du Génie Rural des Eaux et des Forêts), pp. 278, Grenoble, France.

MINTEGUI AGUIRRE J.A., LOPEZ UNZU F. (1990) *La ordenación agrohidrológica en la planificación*, pp. 306, Servicio de Publicaciones del Gobierno Vasco. Vitoria.

MINTEGUI AGUIRRE J.A., ROBREDO SÁNCHEZ J.C. (1993) *Métodos para la estimación de los efectos torrenciales en una cuenca hidrográfica. Manual para un programa básico*, pp. 88, Fundación Conde del Valle de Salazar. E.T.S.I. Montes U.P.M. Madrid.

MINTEGUI AGUIRRE J.A., DE SIMÓN NAVARRETE E., GARCÍA RODRÍGUEZ J.L., ROBREDO SÁNCHEZ J.C. (1993) *La restauración hidrológico-forestal en las cuencas hidrográficas de la vertiente mediterránea*, pp. 325, Informaciones Técnicas 22/93, Consejería de Agricultura y Pesca de la Junta de Andalucía, Sevilla.

MINTEGUI AGUIRRE J. A.; ROBREDO SÁNCHEZ J. C. y SENDRA ARCE P. J. (2003) *Avenidas torrenciales en el arroyo del Partido y su incidencia en la marisma del Parque Nacional de Doñana*, pp. 373, Naturaleza y Parques Nacionales, Serie Técnica, Organismo Autónomo Parques Nacionales, Madrid.

MONTERO DE BURGOS J. L.; GONZÁLEZ REBOLLAR J. L. (1974) *Diagramas Bioclimáticos*, ICONA, MAPA, pp. 379, Madrid.

NAVARRO GARNICA M., editor (1975) *Técnicas de reforestación*, Monografía núm. 9, ICONA, MAPA, pp. 211, Madrid.

NICOLÁS A.; GANDULLO J. M. (1964) *Contribución al estudio de las estaciones forestales*, I.F.I.E., pp. 52, Madrid.

NICOLÁS A.; GANDULLO J. M. (1966) Los estudios ecológicos selvícolas y los trabajos de repoblación forestal, I.F.I.E., pp. 107, Madrid.

PONCE V.M. (1989) *Engineering Hydrology. Principles and practices*, pp. 640, Prentice Hall, New Jersey.

SCHAFFERNAK F. (1922). Neue grundlagen für die berechnung der geschiebeführung in flussläufen. Leipzig y Viena

SCHOKLITSCH A. (1935, 1961, 2ªedc.) *Tratado de Arquitectura Hidráulica* (2 volúmenes: Vol.1: pp. 616; Vol.2: pp. 720), Editorial Gustavo Gili S. A. Barcelona (Traducción al castellano del texto: *Handbuch des Wasserbaues*, 1934, Editado por Springer-Verlag, Viena, Austria).

TAKAHASHI T. (1991) *Debris Flow*, pp. 165, I.A.H.R. Monograph, A.A. Balkema Publisher, Rotterdam.

THIERY E. (1891, 1914, 2ªedc.) *Restauration des montagnes, Correction des torrents et Reboisement*, pp. 480, Librairie Polytechnique Ch. Beranger, Paris et Liege.

U.S. ARMY CORPS OF ENGINEERS.- HYDROLOGIC ENGINEERING CENTER (1998) *River Analysis System (HEC-R.A.S.), versión 2.2*, septiembre 1998, Davis.

U.S. ARMY CORPS OF ENGINEERS.- HYDROLOGIC ENGINEERING CENTER (2000) *HEC-HMS (Hydrologic Modeling System), versión 2ª, Technical Reference Manual*, editor A.D. Feldman, marzo 2000, Washington D.C.

U.S.D.A.- SOIL CONSERVATION SERVICE (1978) *Predicting rainfall erosion losses.- A guide to conservation planning, Agriculture Handbook núm.537*, Washington D.C., pp 58.

WARD R.C. (1975) *Principles of Hydrology*, Mc. Graw-Hill Book Company Limited, London U.K.

WISCHMEIER W. H.; SMITH D. D (1978) *Predicting rainfall erosion losses: A guide to conservation planning*, pp. 58, U. S. D. A. Agriculture Handbook num. 537, Washington D.C.

YALIN M.S. (1977, 2º edc.) *Mechanics of sediments transport*, pp. 298, Pergamon Press, Oxford.

ARTÍCULOS:

ACKERS P., WHITE W.R. (1973) Sediment transport: New approach and analysis, *Journal of the Hydraulics Division, A.S.C.E.*, Vol. 99 HY11, pp 2041-2060.

ACKERS P. (1993) Sediment transport in open channels: Ackers and White update, *Proceedings Inst. Civ. Engrs., Marit. & Energy*, 101, pp 247-249.

AGUIRRE PE J., FUENTES R., OLIVERO M.L. (1986-A) Una fórmula para la fricción en escurrimientos macrorrugosos a superficie libre. *Memorias del XII Congreso Latinoamericano de Hidráulica, A.I.I.H.*, Sao Paulo, Brasil, Vol. 1, pp 86-96.

AGUIRRE PE J., FUENTES R., OLIVERO M.L. (1986-B) Influencia de la rugosidad relativa y la densidad relativa de las partículas sobre la velocidad crítica de sedimentos diseminados.

Memorias del XII Congreso Latinoamericano de Hidráulica, A.I.I.H., Sao Paulo, Brasil, Vol. 3, pp 220-229.

AGUIRRE PE J., FUENTES R. (1988) Un modelo para la fricción en canales con macrorugosidades uniformes y compuestas. *Memorias del XIII Congreso Latinoamericano de Hidráulica, A.I.I.H., La Habana, Cuba, Vol. 1, pp 55-66.*

AGUIRRE PE J., FUENTES R. (1990) Fricción y movimiento incipiente en ríos de montaña. *Memorias del XIV Congreso Latinoamericano de Hidráulica, A.I.I.H., Montevideo, Uruguay, Vol. 3, pp 1549-1560.*

AGUIRRE PE J., FUENTES R. (1990-A) Resistance to flow in steep rough streams. *Journal of the Hydraulics Division, A.S.C.E., Vol. 116, núm. 11, pp 1374-1387.*

AGUIRRE-PE J. ; FUENTES R. (1991) Movement of big particles in steep, macro-rough streams, *24th Congress IAHR, Madrid, Spain, pp.149-158.*

AGUIRRE-PE J.; OLIVERO M. L.; MONCADA A. T. (2000) Transporte de sedimentos en cauces de alta pendiente, *Ingeniería del Agua, 7(4), pp. 353-365.*

ANDREWS E. D. (1980) Effective and bankfull discharges of streams in the Yampa river basin, Colorado and Wyoming, *Journal of Hydrology, 46, pp. 311-330.*

ANDREWS E. D. (1983) Entrainment of gravel from naturally sorted riverbed material. *Geol. Soc. of America Bulletin, 94, pp. 1225-1231.*

ANDREWS E.D.; NANKERVIS J. M. (1995) Effective discharge and the design of channel maintenance flows for gravel-bed rivers. In: *Natural and anthropogenic influences in fluvial geomorphology.* Ed: Costa J.E., Miller A.J., Potter K.W.; Wilcock P.R., American Geophysical Union Monograph Series 89, pp.151–164.

ASHIDA K, BAYAZIT M. (1973) Initiation of motion and roughness of flows in steep channels. *Proceedings of the XV International Congress I.A.H.R., Estambul, Turquía, Vol.1, pp 475-484.*

ASHMORE P.E.; DAY T.J. (1988) Effective discharge for suspended sediment transport in streams of the Saskatchewan River basin, *Water Resources Research, 24, pp. 864-870.*

BAGNOLD R. A. (1954) Experiments on a gravity-free dispersion of large solid spheres in a Newtonian fluid under shear. *Proceeding of the Royal Society of London, Series A, 225, pp 49-63.*

BAGNOLD R. A. (1956) The flow of cohesionless grains in fluids, *Philos. Trans. R. Soc. London, Ser. A, 249, pp. 235-297.*

BAKER V. R. ; RITTER D. F. (1975) Competence of rivers to transport coarse bedload material, *Geological Society of America Bulletin, 86, pp. 975-978.*

BARSCH D.; GUDE M.; MÄUSBACHER R.; SCHUKRAFT G.; SCULTE A. (1994) Sediment transport and discharge in a high arctic catchment, *Lectures Notes in Earth Science, 52, pp. 225-237.*

BATHURST J.C. (1985) Flow resistance of large scale roughness. *Journal of Hydraulic Engineering, A.S.C.E., 111(4), pp 1103-1122.*

BATHURST J. C. (1985), Flow resistance estimation in mountain rivers, *Journal of Hydraulic Engineering*, 111, pp. 625-643.

BATHURST J.C., GRAF W.H., CAO H.H. (1987) Bed load discharge equations for steep mountain rivers. Capítulo 15 de *Sediment transport in gravel bed rivers*, editado por C. R. Thorne, J.C. Bathurst y R.D. Hey, John Wiley and Sons, New York, USA, pp 453-491.

BENSON M.A. ; THOMAS D.M. (1966) A definition of dominant discharge, *Bulletin of the International Association of Scientific Hydrology*, 11, pp. 76-80.

BESCHTA R. L. (1987) Conceptual models of sediment transport in streams, In: *Sediment transport in Gravel-Bed Rivers* Ed: Thorne C.R., Bathurst J.C. & Hey R.D., Wiley, Chichester, pp. 387-419.

BIEDENHARM D.S.; THORNE C.R. (1994) Magnitude-frequency analysis of sediment transport in the Lower Mississippi River, *Regulated rivers: Research and management*, 9, pp. 237-251.

BILLI P.; D'AGOSTINO V.; LENZI M. A.; MARCHI L. (1998) Bedload, slope and channel processes in a high-altitude Alpine torrent. In: *Gravel-Bed Rivers in the Environment*. Ed: Klingeman P., Beschta R., Komar P. & Bradley J., Water Resources Publications, LLC, pp. 15-38.

BOGEN J. (1980) The hysteresis effect of sediment transport systems, *Norsk Geogr. Tidsskrq*, 34, pp. 45-54.

BROWN C.B. (1950) Sediment transportation, Capítulo XII de *Engineering Hydraulics*, editado por H. Rouse, John Wiley and Sons, New York, pp 769-857.

CARLING P.A. (1983) Threshold of coarse sediment transport in broad and narrow natural streams, *Earth Surface Processes and Landforms*, 8, pp. 135-138

CARLING P.A. (1988) The concept of dominant discharge applied to two gravel-bed streams in relation to channel stability thresholds, *Earth Surface Processes and Landforms*, 13, pp. 355-367.

CARONI E.; MARAGA F. (1983) Relazioni tra portate e caratteristiche geometriche dell'alveo in corsi d'acqua a fondo ghiaioso, *Giornata di studio Corsi d'acqua con letti di materiale grossolano ed incoerente*, Napoli 11 novembre 1983, pp. 181-198.

CHURCH M. ; HASSAN M.A. (2002) Mobility of bed material in Harris Creek. *Water Resources Research*, 38(11), doi: 10.1029/2001WR000753.

CHURCH M., (1978) Paleohydrological reconstruction from a Holocene valley fill. In: *Fluvial Sedimentology*. Ed: Miall A.D., Memoir 5, Canadian Society of Petroleum Geologists, pp. 743-772.

CHURCH M.A.; MCLEAN D.G.; WOLCOTT J.F. (1987) River bed gravels: sampling and analysis. In: *Sediment transport in Gravel-Bed Rivers* Ed: Thorne C.R., Bathurst J.C. & Hey R.D., Wiley, Chichester, pp. 43-88.

CROWDER D.W. ; KNAPP H.V. (2005) Effective discharge recurrence intervals of Illinois streams, *Geomorphology*, 64, pp. 167-184.

D'AGOSTINO V. (1994) Indagine sullo scavo a valle di opere trasversali mediante modello fisico a fondo mobile, *L'Energia Elettrica*, 71(2), pp. 37-51.

D'AGOSTINO V.; LENZI M.A. (1996) La valutazione del trasporto solido di fondo nel bacino attrezzato del Rio Cordon, *L'acqua*, 4, pp. 23-40.

D'AGOSTINO V.; LENZI M.A. (1998) Bed load transport in the instrumented catchment of the Rio Cordon. Part II: Analysis of the bedload rate, *Catena*, 36(3), pp. 191-204.

DALLA FONTANA G.; MARCHI L. (2003) Slope-area relationship and sediment dynamics in two alpine streams, *Hydrological Processes*, 17, pp. 73-87.

DELLA GIACOMA F.; FLORINETH F.; ZOLIN G. (1991) *Opere di sistemazione e regolazione dei corsi d'acqua, valutazione di impatto ambientale*. Dipartimento Territorio Ambiente e Foreste, Servizio Protezione Ambiente, Ufficio per la valutazione di impatto ambientale, Provincia Autonoma de Trento, pp 1-23.

DELLA LUCIA. D.; FATTORELLI, S.; NARDIN, D.; PROVASI, C.; TOMASETTI R. (1980) *Ricerca sulla determinazione della pendenza di compensazione nei torrenti del Trentino*, Provincia Autonoma de Trento, AASSMM Trento.

DÍAZ G.E., MAZA ALVAREZ J.A. (1986) Análisis de fórmulas de transporte de sedimentos en escurrimientos a superficie libre, *Memorias del XII Congreso Latinoamericano de Hidráulica*, Sao Paulo, Brasil, Vol. 3.

DIPLAS P. ; PARKER G. (1992) Deposition and removal of fines in gravel-bed streams. In: *Dynamics of gravel-bed rivers*. Ed: Billi P., Hey R.D., Thorne C.R. & Tacconi P., Wiley, Chichester, pp. 313-329.

DOLLAR E.S.J. (2002) Magnitude and frequency controlling fluvial sedimentary systems: issues, contributions and challenges. IAHR Publication 276, pp. 55-362.

DUNNE T. ; LEOPOLD L.B. (1978) *Water in Environmental Planning*. W.H. Freeman and Company, San Francisco, pp. 818.

DURY G. H.; HAILS J. R.; ROBBIE M. B. (1963) Bankfull discharge and the magnitude-frequency series, *Australian Journal of Science*, 26, pp. 123-124.

EGIAZAROFF I. V. (1965) Calculation of non-uniform sediment concentrations, *Journal of Hydraulic Division*, A.S.C.E., 91(4), pp. 225-247.

EINSTEIN H.A. (1942) Formulas for the transportation of bed load. *Transactions A.S.C.E.*, Vol. 107, Paper 2140, pp 561-573.

EMMETT W. M. (1975) The channels and waters of the upper Salmon River area, Idaho, *U.S. Geological Survey Professional Paper*, 870-A, pp. 115.

EMMETT W.W. ; WOLMAN M.G. (2001) Effective discharge and gravel-bed rivers, *Earth Surface Processes and Landforms*, 26, pp. 1369-1380.

ENGELUND F. (1967) Hydraulic resistance of alluvial streams (discusión final), *Journal of the Hydraulics Division*, A.S.C.E., Vol. 93, HY 4, pp 287-296.

ENGELUND F. ; HANSEN E. (1967) *A monograph on sediment transport in alluvial streams*. Teknisk Forlag, Copenhagen, Denmark.

- FAHNESTOCK R. K. (1963) Morphology and hydrology of a glacial stream-White River, Mount Rainer, Washington, *Prof. Pap. U.S. Geol. Surv.*, 442-A, pp. 70.
- FATTORELLI S. (2004), Un obiettivo sostenibile per la difesa del territorio: la mitigazione del rischio. *10° Interpretive Congress*, Riva del Garda, TN, Italia, 24-27 Mayo 2004, Vol 1, 1-9, ISBN 3-901164-06-5.
- FATTORELLI S.; KELLER H. M.; LENZI M.A.; MARCHI L. (1988) An experimental station for the automatic recording of water and sediment discharge in a small alpine watershed, *Hydrological Sciences Journal*, 33(6), pp. 607-617.
- FERGUSON R.I. (1977) Meander migration, equilibrium and change, In: *River channel changes*, Ed: Gregory F.J., John Wiley and Sons, Toronto, pp. 235-248.
- FERRO V. ; GIORDANO G. (1990) Esperienze sulle resistenze al moto in alvei di tipo montano: Riesame critico e nuove acquisizioni, *Rivista di Ingegneria Agraria*, 2, pp. 83-98.
- FERRO V.; GIORDANO G. (1988) Formulazioni e campi di applicabilità del criterio del moto incipiente nella valutazione della pendenza di equilibrio di un corso d'acqua, *Idrotecnica*, 3, pp. 253-262.
- GARCIA C.; LARONNE. J. B.; SALA M. (2000) Continuous monitoring of bed load flux in a mountain gravel-bed river, *Geomorphology*, 34, pp. 23-31.
- GARCÍA DÍAZ R.; MINTEGUI J. A.; ROBREDO (2002) La caracterización del movimiento del agua en laderas, como instrumento de zonificación de los usos del suelo en cuencas de montaña, *Ecología*, núm. 16, pp. 9-25, Madrid
- GARCÍA RODRÍGUEZ, J.L. (1996). Procedimientos de cálculo de la emisión de sedimentos. Métodos empleados en los proyectos de restauración hidrológico forestal en España. *Rev. Montes No*, 45, pp, 18-21
- GOMEZ B.; CHURCH M. (1989) An assessment of bed load sediment transport formulae for gravel bed rivers, *Water Resources Research*, 25(6), pp. 1161-1186.
- GOMI T.; SIDLE R.C. (2003) Bed load transport in managed steep-gradient headwater streams of south-eastern Alaska, *Water Resources Research*, 39(12), 1336, doi: 10.1029/2003WR002440.
- GRAF W.H.; ACAROGLU E.R. (1968) Sediment Transport in Coveyance Systems (Part 1), *Bulletin of the International Association of Scientific Hydrology*, XIII(2).
- GRANT G.E. ; SWANSON F.J.; WOLMAN M.G. (1990) Pattern and origin of stepped-bed morphology in high-gradient streams, Western Cascades, Oregon, *Geol. Soc. Am. Bull.*, 102, pp. 340-352.
- HABERSACK H.M. ; LARONNE J.B. (2001) Bed load texture in an alpine gravel bed river, *Water Resources Research*, (37)12, pp. 3359-3370.
- HABERSACK H.M.; NACHTNEBEL P.N.; LARONNE J.B. (2001) The continuous measurement of bedload discharge in a large alpine gravel bed river with a slot sampler, *Journal of Hydraulic Research*, 39, pp. 125-133.

- HAMMOND F. D. C.; HEATHERSHAW A. D.; LANGHORNE D. N. (1984) A comparison between Shields' threshold criterion and the movement of loosely packed gravel in a tidal channel, *Sedimentology*, 31, pp. 51-62.
- HASCHENBURGER J.K. ; WILCOCK P.R. (2003) Partial transport in a natural gravel bed channel, *Water Resources Research*, 39(1), 1020, doi:10.1029/2002WR001532.
- HEY R.D. (1975) Design discharges for natural channels. In: *Science and Technology in Environmental Management*. Ed: Hey R.D. & Davis J.D., Saxon House, Farnborough, pp. 73-88.
- HICKIN E.J. (1983) River channel changes: retrospect and prospect. In: *Modern and ancient fluvial system*. Spec. Publ. Int. Ass. Sediment, Blackwell Scientific Publications, Oxford, pp. 61-83.
- JEJE L. K.; OGUNKOYA O. O.; OLUWATIMILEHIN J. M. (1991) Variation in suspended sediment concentration during storm discharges in three small streams in upper Osun basin, Central Western Nigeria, *Hydrological Processes*, 5, pp. 361-369.
- KARIM F. (1998) Bed material discharge prediction for no uniform bed sediments. *Journal of Hydraulic Engineering*, ASCE, 124(6), pp. 597-604.
- KEULEGAN G.H. (1938) Laws of turbulent flow in open channels. *Journal Research at the National Bureau of Standards*, 21 Research Paper RP 1151, pp 707-741.
- KLINGEMAN P.C. ; MILHOUS R.T. (1970) Oak creek vortex bed load sampler, *17° Annual Pacific North-West Meeting of the Am. Geophys. Union*, University of Puget Sound, Tacoma, Washington, pp 17
- KLINGEMAN P.C. ; EMMETT W.W. (1982) Gravel bed load transport processes. In: *Gravel-bed Rivers: Fluvial Processes, Engineering and Management*. Ed: Hey R.D., Bathurst J.C. & Thornes C.R., Wiley, Chichester, pp. 141-169.
- KUHNLE R.; WILLIS J.C.; BOWIE A. J. (1988) Measurement of bed load transport on Goodwin Creek, Northern Mississippi, *Proceedings of the Eighteenth Mississippi Water Resources Conference*, Jackson, Miss., pp. 57-60.
- LARONNE J.B.; REID I.; YITSHAK Y.; FROSTICK L.E. (1992) Recording bed load discharge in a semiarid channel, Nahal Yatir, Israel. In: *Erosion and Sediment Transport Monitoring Programmes in River Basins*, Ed: Bogen J., Walling D.E. & Day T.J. IAHS Publication, 210, pp. 79-86.
- LAURSEN E.M. (1958) The total sediment load of streams. *Journal of the Hydraulics Division*, A.S.C.E., Vol 84, N° HY1, pp 1530-1540.
- LEE A.J ; FERGUSON R.I. (2002) Velocity and flow resistance in step-pool streams, *Geomorphology*, 46, pp. 59-71.
- LENZI M.A. (1992) Campionamento ed analisi di materiale d'alveo con componenti grossolane. In: *Il bacino attrezzato del Rio Cordon*. Quaderni di Ricerca, 13, Regione Veneto, pp. 159-178.
- LENZI M.A. (1999) Morfologia dei corsi d'acqua e loro tendenza evolutiva in risposta ad eventi estremi, *La gestione dell'erosione, scienza e tecnica a confronto per il controllo dei fenomeni torrentizi*, Trento, 28-29 Maggio 1999, pp. 14.

LENZI M. A. (2001) Step-pool evolution in the Rio Cordon north-eastern, Italy, *Earth Surface Processes and Landforms*, 26, pp. 991-1008.

LENZI M.A. (2004), Displacement and transport of marked pebbles, cobbles and boulders during floods in a steep mountain stream, *Hydrological Processes*, 18(10), pp. 1899-1914.

LENZI M.A.; D'AGOSTINO V. (1996) La valutazione del trasporto solido di fondo nel bacino attrezzato del Rio Cordon, *L'Acqua*, 4, pp. 23-40.

LENZI M.A. ; D'AGOSTINO V. (2000). Step-pool evolution in an alpine torrent, In: *New trends in water and environmental engineering for safety and life*. Ed: Maione U., Majone Letho B. & Monti R., Balkema, pp. 12.

LENZI M.A.; MARCHI L. (2000) Suspended sediment load during floods in a small stream of the Dolomites (north-eastern Italy), *Catena*, 39, pp. 267-282.

LENZI M.A.; D'AGOSTINO V.; BILLI P. (1999) Bed load transport in the instrumented catchment of the Rio Cordon: Part I. Analysis of bedload records, conditions and threshold of bedload entrainment, *Catena*, 36(3), pp. 171-190.

LENZI M.A.; MAO L.; COMITI F. (2003) Inter-annual variation of sediment yield in an alpine catchment, *Hydrological Sciences Journal*, 48(6), pp. 899-915.

LENZI M.A.; MAO L.; COMITI F. (2004) Magnitude-frequency analysis of bed load data in an Alpine boulder bed stream, *Water Resources Research*, 40, W07201, doi:10.1029/2003WR002961.

LENZI M.A.; MAO L.; COMITI F. (2006) Effective discharge for sediment transport in a mountain river: Computational approaches and geomorphic effectiveness, *Journal of Hydrology*, (disponible on line desde 13-12-2005).

LÓPEZ CADENAS DE LLANO F.; MINTEGUI AGUIRRE J. A.; PÉREZ-SOBA BARÓ A. (1985) Metodología integrada para la determinación de los sedimentos aportados por una cuenca, *Mitteilungen der Forstlichen Bundesversuchsanstalt*, núm. 156, pp. 143-161.

Mc. CARTHY G.T. (1938) *The Unit Hydrograph and flood routing*. Unpublished manuscript presented at a Conference of the North Atlantic Division, June 24, U.S. Army Corps of Engineers

MEUNIER M. (1992) *Exposé sur l'hydraulique torrentielle*, 26 páginas, Groupe de Travail sur les Bassins Versants de Montagne, C.F.E., FAO, Oberstdorf - Allemagne.

MEYER-PETER E., MÜLLER R. (1948) Formulations of the bed-load transport. // *International Congress of A.I.I.H.*, Stockholm, Suecia, pp 39-64.

MINTEGUI AGUIRRE J.A. (1987) Análisis de la influencia del relieve en la erosión hídrica: Hipótesis de estudio para correlacionar la pendiente con la longitud de declive en un terreno. *Comunicaciones de la V Asamblea Nacional de Geodesia y Geofísica*, Comisión Nacional de Geodesia y Geofísica, Vol. III, pp 2229-2245.

MINTEGUI AGUIRRE J. A. (1991) El papel del bosque de montaña: Aspectos técnicos, Actas del X Congreso Forestal Mundial (Paris), *Revue Forestière Française*, Hors Serie, núm. 3, pp.171-180.

MINTEGUI AGUIRRE J. A.; ROBREDO SÁNCHEZ J. C. (1994) Caracterización de las cuencas hidrográficas, objeto de restauración hidrológico-forestal, mediante modelos hidrológicos, *Revista Ingeniería del Agua*, Vol.1 núm. 2, pp. 69-82.

MORA, E., AGUIRRE-PE J., FUENTES R. (1990) Fórmulas de gasto sólido para el flujo macrorugoso. *Memorias del XIV Congreso Latinoamericano de Hidráulica*, A.I.I.H., Montevideo, Uruguay, Vol. 3, pp. 1537-1548.

PIERSON T.C., COSTA J.E. (1987) A rheological classification of subaerial sediment-water-flows, *Engineering Geology*, Vol. VII.

RICKENMANN D. (1990) Sediment load capacity of slurry flows at steep slopes *Mitteilungen der Verschanstalt für Wasserbau, Hydrologie und Glaziologie* 103, E.T.H.- Zürich, pp 249.

RICKENMANN, D (1991) Hyperconcentrated flow and sediment transport at steep slopes, *Journal of Hydraulic Engineering* 117 (11), pp 1419-1439.

ROBREDO SÁNCHEZ J. C.; MINTEGUI AGUIRRE J. A. (1994) Diseño de un modelo distribuido elemental para el análisis del comportamiento hidrológico de una cuenca vertiente, *Revista Ingeniería del Agua*, Vol.1 núm. 4, pp. 79-100.

SERRADA R.; MINTEGUI J. A.; ROBREDO J. C.; GARCÍA J. L.; GÓMEZ V.; ZAZO J.; NAVARRO R. (1997) Formación de escorrentías con lluvias torrenciales simuladas, en parcelas con diferentes cubiertas vegetales y distintas preparaciones del suelo para las repoblaciones forestales. *Libro de Actas del I Congreso Forestal Hispano Luso y II Congreso Forestal Español*, Tomo II, pp. 605-610, Pamplona.

SERRADA R.; MINTEGUI J. A.; GARCÍA J. L.; GÓMEZ V.; ROBREDO J. C.; ZAZO J. (1998) A method for simulating torrential rainfall in experimental plots for the analysis of the hydrological behaviour of different types of plant cover and the systematic preparation of soil for reforestation, *The soil as a strategic resource: Degradation processes and Conservation Measures*, Geoforma Ediciones, pp. 165-176, Logroño.

SHERMAN L.K. (1932) Streamflow from rainfall by the Unit-Hydrograph Method., *Eng. News Record* 108, pp 501-505.

SHIELDS A. (1936) Anwendung der anlichkeitsmechanik und der turbulenz forschung auf die geschiebebewegung, *Mitteilungen der Preussischen Versuchsanstalt für Wasserbau und Schiffbaba* 26, Berlín, Alemania, pp 5-24.

SMART G.M., JAEggi M.N.R. (1983) Sediment trasnport on steep slopes, *Mitteilungen der Verschanstalt für Wasserbau, Hydrologie und Glaziologie* 64, E.T.H. - Zürich, pp 191.

SMART G.M. (1984) Sediment trasnport formula for steep channels. *Journal of Hydraulic Engineering*, A.S.C.E., Vol. 10, núm. 3, pp 39-64.

SNYDER F.F. (1938) Synthetic Unit-Graphs, *Actas American Geophysical Union*, Vol.19, pp 447-454.

TAYLOR B.D., VANONI V.A. (1972) Temperature effects in low transport. Flat-bed flows, *Journal of the Hydraulics Division*, A.S.C.E., Vol. 98, núm. HY8, pp 1427-1445.

TAKAHASHI T. (1987) High velocity flow in steep erodible channels, *Proceedings 22nd I.A.H.R. Congress*, Lausanne, Fluvial Hydraulics, pp 42-53.

VAN RIJN L.C. (1987) Mathematical modelling of morphological processes in the case of suspended sediment transport. *Delft Hydraulics Communication* núm. 382, Delf, Holanda.

VANONI V.A., BROOKS N.H. (1957) *Laboratory studies of the roughness and suspended load alluvial streams*. Sedimentation Laboratory, California Institute of Technology, Report E-68, Pasadena, California USA.

VANONI V.A. (1977) *Predicting sediment discharge in alluvial channels*, pp. 28, Ponencia presentada en el Congreso del Mar del Plata, Argentina.

WHITE W. R., MILLI H, CRABBE A.D. (1978) *Sediment transport; an appraisal of available methods*, Vol. 2, Report nº IT 119, Segunda Impresión, Wallingford Research Station, Wallingford, England

WILLIAMS J.R., HANN R.W. (1973) *HYMO: Problem oriented computer language for hydrologic modeling. Users Manual*, U.S. Department of Agriculture, A.R.S., and Texas University, pp 76.

WILLIAMS J.R. (1975) Sediment-yield prediction with Universal Equation using run-off energy factor, *Agricultural Research Service (A.R.S.) núm. 40*, U.S.A. Department of Agriculture, pp. 244-252.

WILLIAMS J.R. (1975) Sediment routing for agricultural watersheds. *Water Resources Bulletin*. American Resources Association Vol. 11, núm. 5, pp 965-974.

WISCHMEIER W.H. (1959) A rainfall erosion index for a Universal Soil Loss Equation. *Proceeding Soil Scientific Society of America* 23, Madison, Wis., pp 246-249.

WISCHMEIER W.H. (1960) Cropping-management factor evaluation of a Universal Soil Loss Equation. *Proceeding Soil Scientific Society of America* 24, Madison, Wis., pp 322-326.

WISCHMEIER W.H., SMITH D.D. (1972) Soil-loss estimation as a tool in soil and water management planning. *Int. Assoc. Sci. Hydrology (I.A.S.H.)*, núm.59, Belgrado pp 148-159.

WISCHMEIER W.H. (1974) New developments in estimating water erosion. 29^{end} *Annual Meeting of the Soil Conservation Society of America*. Ankeney, Iowa, pp 179-186.

YANG C.T. (1971) Potential energy and stream morphology. *Water Resources Research*, Vol. 7, núm. 2, pp 311-322.